


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4658$ $y=0.4210$ $u'=0.2616$ $v'=0.5321$

CCT=2699K(Duv=0.0033) Dominant WL:Ld =583.2nm Purity=66.2%

Ratio:R=26.7% G=71.0% B=2.3% Peak WL:Lp=634.2nm FWHM=158.9nm

Render Index:Ra=96.3

R1 =97	R2 =97	R3 =95	R4 =98	R5 =96	R6 =97	R7 =98	
R8 =92	R9 =80	R10=91	R11=99	R12=83	R13=97	R14=96	R15=94

Photo Parameters:

Flux = 655.8 lm Eff. : 92.59 lm/W Fe = 2.492 W

Electrical parameters:


V = 230.15 V I = 0.04349 A P = 7.082 W PF = 0.7075

Status: Integral T = 344 ms Ip = 41540 (63%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:1
Date:2023-10-20
Humidity:65.0%
Remarks:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4662$ $y=0.4217$ / $u'=0.2616$ $v'=0.5325$

CCT=2698K(Duv=0.0035) Dominant WL:Ld =583.1nm Purity=66.6%

Ratio:R=26.6% G=71.1% B=2.3% Peak WL:Lp=632.9nm FWHM=159.4nm

Render Index:Ra=96.0

R1 =97 R2 =97 R3 =95 R4 =98 R5 =96 R6 =96 R7 =98

R8 =92 R9 =79 R10=91 R11=99 R12=82 R13=97 R14=96 R15=94

Photo Parameters:

Flux = 653.9 lm Eff. : 92.98 lm/W Fe = 2.478 W

Electrical parameters:


V = 230.15 V I = 0.04308 A P = 7.033 W PF = 0.7093

Status: Integral T = 344 ms Ip = 41225 (63%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:2
Date:2023-10-20
Humidity:65.0%
Remarks:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4651$ $y=0.4198$ $u'=0.2617$ $v'=0.5316$

CCT=2699K(Duv=0.0029) Dominant WL:Ld =583.3nm Purity=65.6%

Ratio:R=26.8% G=70.8% B=2.4% Peak WL:Lp=633.2nm FWHM=158.4nm

Render Index:Ra=96.7

R1 =98	R2 =98	R3 =96	R4 =98	R5 =97	R6 =98	R7 =97	
R8 =93	R9 =82	R10=93	R11=99	R12=84	R13=98	R14=97	R15=95

Photo Parameters:

Flux = 658.5 lm Eff. : 92.52 lm/W Fe = 2.511 W

Electrical parameters:


V = 230.16 V I = 0.04361 A P = 7.118 W PF = 0.7091

Status: Integral T = 344 ms Ip = 41838 (64%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:3
Date:2023-10-20
Humidity:65.0%
Remarks:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4649$ $y=0.4202$ $u'=0.2615$ $v'=0.5317$

CCT=2704K(Duv=0.0031) Dominant WL:Ld =583.2nm Purity=65.7%

Ratio:R=26.7% G=70.9% B=2.4% Peak WL:Lp=632.5nm FWHM=158.5nm

Render Index:Ra=96.5

R1 =98	R2 =97	R3 =96	R4 =98	R5 =96	R6 =98	R7 =97	
R8 =93	R9 =81	R10=93	R11=99	R12=84	R13=98	R14=96	R15=94

Photo Parameters:

Flux = 658.4 lm Eff. : 92.52 lm/W Fe = 2.503 W

Electrical parameters:


V = 230.17 V I = 0.04335 A P = 7.117 W PF = 0.7133

Status: Integral T = 344 ms Ip = 41722 (64%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:4
Date:2023-10-20
Humidity:65.0%
Remarks:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4637$ $y=0.4203$ $u'=0.2606$ $v'=0.5315$

CCT=2722K(Duv=0.0032) Dominant WL:Ld =583.1nm Purity=65.3%

Ratio:R=26.5% G=71.2% B=2.3% Peak WL:Lp=633.2nm FWHM=160.9nm

Render Index:Ra=95.9

R1 =97	R2 =97	R3 =95	R4 =98	R5 =96	R6 =97	R7 =97	
R8 =92	R9 =79	R10=91	R11=99	R12=83	R13=97	R14=96	R15=94

Photo Parameters:

Flux = 644.6 lm Eff. : 91.87 lm/W Fe = 2.435 W

Electrical parameters:

V = 230.17 V I = 0.04280 A P = 7.016 W PF = 0.7122

Status: Integral T = 344 ms Ip = 40278 (61%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:5
Date:2023-10-20
Humidity:65.0%
Remarks:---