


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4625$ $y=0.4202$ $u'=0.2600$ $v'=0.5313$

CCT=2737K(Duv=0.0033) Dominant WL:Ld =583.0nm Purity=65.0%

Ratio:R=26.4% G=71.2% B=2.4% Peak WL:Lp=634.5nm FWHM=162.3nm

Render Index:Ra=96.3

R1 =97	R2 =97	R3 =95	R4 =98	R5 =96	R6 =97	R7 =98	
R8 =93	R9 =81	R10=92	R11=99	R12=83	R13=97	R14=96	R15=94

Photo Parameters:

Flux = 682.1 lm Eff. : 95.58 lm/W Fe = 2.580 W

Electrical parameters:


V = 230.16 V I = 0.04405 A P = 7.137 W PF = 0.7040

Status: Integral T = 344 ms Ip = 42506 (65%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:1
Date:2023-10-20
Humidity:65.0%
Remarks:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4657$ $y=0.4226$ $u'=0.2609$ $v'=0.5327$

CCT=2712K(Duv=0.0039) Dominant WL:Ld =583.0nm Purity=66.6%

Ratio:R=26.5% G=71.3% B=2.2% Peak WL:Lp=635.8nm FWHM=161.5nm

Render Index:Ra=95.8

R1 =97	R2 =96	R3 =94	R4 =98	R5 =95	R6 =96	R7 =98	
R8 =92	R9 =79	R10=90	R11=99	R12=82	R13=96	R14=96	R15=94

Photo Parameters:

Flux = 684.8 lm Eff. : 96.14 lm/W Fe = 2.583 W

Electrical parameters:


V = 230.16 V I = 0.04387 A P = 7.123 W PF = 0.7055

Status: Integral T = 344 ms Ip = 42888 (65%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:2
Date:2023-10-20
Humidity:65.0%
Remarks:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4650$ $y=0.4215$ $u'=0.2609$ $v'=0.5322$

CCT=2713K(Duv=0.0035) Dominant WL:Ld =583.1nm Purity=66.1%

Ratio:R=26.6% G=71.1% B=2.3% Peak WL:Lp=636.1nm FWHM=160.0nm

Render Index:Ra=96.2

R1 =97	R2 =97	R3 =95	R4 =98	R5 =96	R6 =97	R7 =98	
R8 =92	R9 =81	R10=91	R11=99	R12=83	R13=97	R14=96	R15=94

Photo Parameters:

Flux = 688.6 lm Eff. : 95.79 lm/W Fe = 2.608 W

Electrical parameters:


V = 230.18 V I = 0.04426 A P = 7.189 W PF = 0.7056

Status: Integral T = 344 ms Ip = 43384 (66%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:3
Date:2023-10-20
Humidity:65.0%
Remarks:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4651$ $y=0.4212$ $u'=0.2612$ $v'=0.5321$

CCT=2709K(Duv=0.0034) Dominant WL:Ld =583.1nm Purity=66.0%

Ratio:R=26.6% G=71.1% B=2.3% Peak WL:Lp=634.2nm FWHM=159.4nm

Render Index:Ra=96.3

R1 =97	R2 =97	R3 =95	R4 =98	R5 =96	R6 =97	R7 =97	
R8 =92	R9 =81	R10=92	R11=99	R12=83	R13=97	R14=96	R15=94

Photo Parameters:

Flux = 676.2 lm Eff. : 95.83 lm/W Fe = 2.564 W

Electrical parameters:


V = 230.16 V I = 0.04341 A P = 7.057 W PF = 0.7062

Status: Integral T = 344 ms Ip = 42579 (65%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:4
Date:2023-10-20
Humidity:65.0%
Remarks:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4663$ $y=0.4225$ $u'=0.2613$ $v'=0.5328$

CCT=2703K(Duv=0.0038) Dominant WL:Ld =583.0nm Purity=66.8%

Ratio:R=26.6% G=71.1% B=2.3% Peak WL:Lp=638.1nm FWHM=159.2nm

Render Index:Ra=96.0

R1 =97	R2 =97	R3 =95	R4 =98	R5 =96	R6 =96	R7 =98	
R8 =92	R9 =80	R10=91	R11=99	R12=83	R13=97	R14=96	R15=94

Photo Parameters:

Flux = 676.6 lm Eff. : 94.63 lm/W Fe = 2.559 W

Electrical parameters:

V = 230.16 V I = 0.04391 A P = 7.150 W PF = 0.7075

Status: Integral T = 344 ms Ip = 42541 (65%)

Model:
Tester:DAMIN
Temperature:25.3Deg
Manufacturer:EVERFINE

Number:5
Date:2023-10-20
Humidity:65.0%
Remarks:---